# Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
C. R. Cantor
P. Chambon
W. W. Franke
M. Gellert
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
J. H. Miller
M. F. Moody
K. Simons

VOLUME 158

15 June to 15 July 1982

ACADEMIC PRESS
London New York San Francisco

H301
.J3

Copyright © 1982, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

# CONTENTS OF VOLUME 158

## Number 1, 15 June 1982


Waterston, R. H., Smith, K. C. and Moerman, D. G., Genetic Fine Structure Analysis of the Myosin Heavy Chain Gene *unc-54* of *Caenorhabditis elegans* . . . . . 1

Coen, E., Strachan, T. and Dover, G., Dynamics of Concerted Evolution of Ribosomal DNA and Histone Gene Families in the *melanogaster* Species Subgroup of *Drosophila* . . . . . 17

Strachan, T., Coen, E., Webb, D. and Dover, G., Modes and Rates of Change of Complex DNA Families of *Drosophila* . . . . . 37

Büldt, G. and de Haas, G. H., Conformational Differences between *sn*-3-Phospholipids and *sn*-2-Phospholipids. A Neutron and X-ray Diffraction Investigation . . . . . 55

Ghosh, D., O'Donnell, S., Furey, W., Jr, Robbins, A. H. and Stout, C. D., Iron–Sulfur Clusters and Protein Structure of *Azotobacter* Ferredoxin at 2·0 Å Resolution . . . . . 73

Remington, S., Wiegand, G. and Huber, R., Crystallographic Refinement and Atomic Models of Two Different Forms of Citrate Synthase at 2·7 and 1·7 Å Resolution . . . . . 111

LETTER TO THE EDITOR

Lee, B., Griffith, J. P., Park, C. H., Sheldon, R. I., McLinden, J., Murdock, A. L. and Amelunxen, R. E., Preliminary Crystallographic Data for Glyceraldehyde-3-Phosphate Dehydrogenase from the Thermophile *Bacillus coagulans* . . . . . 153


## Number 2, 25 June 1982


Stinchcomb, D. T., Mann, C. and Davis, R. W., Centromeric DNA from *Saccharomyces cerevisiae* . . . . . 157

Buzin, C. H. and Petersen, N. S., A Comparison of the Multiple *Drosophila* Heat Shock Proteins in Cell Lines and Larval Salivary Glands by Two-dimensional Gel Electrophoresis . . . . . 181

Syvanen, M., Hopkins, J. D. and Clements, M., A New Class of Mutants in DNA Polymerase I that Affects Gene Transposition . . . . . 203

Pesonen, M. and Kääriänen, L., Incomplete Complex Oligosaccharides in Semliki Forest Virus Envelope Proteins Arrested within the Cell in the Presence of Monensin . . . . . 213

Isenberg, G., Leonard, K. and Jockusch, B. M., Structural Aspects of Vinculin–Actin Interactions . . . . . 231

Sunshine, H. R., Hofrichter, J., Ferrone, F. A. and Eaton, W. A., Oxygen Binding by Sickle Cell Hemoglobin Polymers . . . . . 251

Hider, R. C., Drake, A. F., Inagaki, F., Williams, R. J. P., Endo, T. and Miyazawa, T., Molecular Conformation of α-Cobratoxin as Studied by Nuclear Magnetic Resonance and Circular Dichroism . . . . . 275

Płuciennicak, A., Skowroński, J. and Jaworski, J., Nucleotide Sequence of Bovine 1·715 Satellite DNA and its Relation to other Bovine Satellite Sequences . . . . . 293

Bolognesi, M., Cannillo, E., Ascenzi, P., Giacometti, G. M., Merli, A. and Brunori, M., Reactivity of Ferric *Aplysia* and Sperm Whale Myoglobins towards Imidazole. X-ray and Binding Study . . . . . 305

Letter to the Editor

Takasaki, Y. and Miki-Noumura, T., Shape of the Ciliary Doublet Microtubule in Solution . . . . . 317

Announcement . . . . . 325

Number 3, 5 July 1982

Oppenheim, A. B., Gottesman, S. and Gottesman, M., Regulation of Bacteriophage λ *int* Gene Expression . . . . . 327

Wanner, B. L. and McSharry, R., Phosphate-controlled Gene Expression in *Escherichia coli* K12 using Mu*dI*-directed *lacZ* Fusions . . . . . 347

Pflugfelder, G. O. and Sonnebichler, J., Oligonucleosomes as a Model System for Chromatin Transcription. Transcription with *Escherichia coli* DNA-dependent RNA Polymerase. . . . . 365

*Appendix:* Pflugfelder, G. O., Groome, M., Wolf, G. and Sonnenbichler, J., Assessment of the Naked DNA Content in Oligonucleosome Preparations. . . . . 385

Borejdo, J., Assulin, O., Ando, T. and Putnam, S., Cross-bridge Orientation in Skeletal Muscle Measured by Linear Dichroism of an Extrinsic Chromophore . . . . . 391

*Appendix:* Derivation of the Absorbance by Circularly Symmetrical Assembly of Chromophores Viewed Through Limited Apertures . 411

CLEMENTS, J. E., D'ANTONIO, N. and NARAYAN, O., Genomic Changes Associated With Antigenic Variation of Visna Virus. II. Common Nucleotide Sequence Changes Detected in Variants from Independent Isolations . . . . . 415

SAIBIL, H. R., An Ordered Membrane-cytoskeleton Network in Squid Photoreceptor Microvilli. . . . . 435

VAN SCHAICK, E. J. M., SCHUTTER, W. G., GAYKEMA, W. P. J., SCHEPMAN, A. M. H. and HOL, W. G. J., Structure of *Panulirus interruptus* Hemocyanin at 5 Å Resolution . . . . . 457

DEATHERAGE, J. F., HENDERSON, R. and CAPALDI, R. A., Three-dimensional Structure of Cytochrome *c* Oxidase Vesicle Crystals in Negative Stain . 487

DEATHERAGE, J. F., HENDERSON, R. and CAPALDI, R. A., Relationship Between Membrane and Cytoplasmic Domains in Cytochrome *c* Oxidase by Electron Microscopy in Media of Different Density . . . . . 501

PAPAMOKOS, E., WEBER, E., BODE, W., HUBER, R., EMPIE, M. W., KATO, I. and LASKOWSKI, M., JR, Crystallographic Refinement of Japanese Quail Ovomucoid, a Kazal-type Inhibitor, and Model Building Studies of Complexes with Serine Proteases . . . . . 515

HONG, G. F., A Systematic DNA Sequencing Strategy . . . . . 539

SHARMA, V. S. and RANNEY, H. M., Studies on Hemoglobin Intermediates. A New Method for Studying the Reaction of $Hb_4(CO)_3$ with CO in Human, Carp, Rabbit and Opossum Hemoglobin . . . . . 551

LETTERS TO THE EDITOR

LO, A. C. and NAZAR, R. N., Accessibility of the 5 S RNA in Yeast Ribosomes . . . . . 559

MICHEL, H., Three-dimensional Crystals of a Membrane Protein Complex. The Photosynthetic Reaction Centre from *Rhodopseudomonas viridis* 567

NUMBER 4, 15 JULY 1982

IKEMURA, T., Correlation Between the Abundance of Yeast Transfer RNAs and the Occurrence of the Respective Codons in Protein Genes. Differences in Synonymous Codon Choice Patterns of Yeast and *Escherichia coli* with Reference to the Abundance of Isoaccepting Transfer RNAs . . . . . 573

ETCHEVERRY, T., SALVATO, M. and GUTHRIE, C., Recessive Lethality of Yeast Strains Carrying the *SUP61* Suppressor Results from Loss of a Transfer RNA with a Unique Decoding Function . . . . . 599

GOLDMAN, E., Effect of Rate-limiting Elongation on Bacteriophage MS2 RNA-directed Protein Synthesis in Extracts of *Escherichia coli* . . 619

HUXLEY, H. E., FARUQI, A. R., KRESS, M., BORDAS, J. and KOCH, M. H. J., Time-resolved X-ray Diffraction Studies of the Myosin Layer-line Reflections during Muscle Contraction . . . . . 637

MCGHEE, J. D. and FELSENFELD, G., Reconstitution of Nucleosome Core Particles Containing Glucosylated DNA. . . . . 685

BHAT, T. N., BLOW, D. M., BRICK, P: and NYBORG, J., Tyrosyl-tRNA Synthetase Forms a Mononucleotide-binding Fold. . . . . 699

INOKUCHI, Y., HIRASHIMA, A. and WATANABE, I., Comparison of the Nucleotide Sequences at the 3′-Terminal Region of RNAs from RNA Coliphages . 711

LETTERS TO THE EDITOR

CARRASCOSA, J. L., GARCIA, J. A. and SALAS, M., A Protein Similar to *Escherichia coli gro* EL is Present in *Bacillus subtilis* . . . 731

REIDLER, J., OI, V. T., CARLSEN, W., VUONG, T. M., PECHT, I., HERZENBERG, L. A. and STRYER, L., Rotational Dynamics of Monoclonal Anti-dansyl Immunoglobulins . . . . . 739

# Index to Volume 158


Accessibility of the 5 S RNA in yeast ribosomes, 559
Actin–vinculin interactions, structural aspects, 231
AMELUNXEN, R. E. (see also LEE, B.), 153
ANDO, T. (see also BOREJDO, J.), 391
Antigenic variation of visna virus, and associated genomic changes; common nucleotide sequence changes detected in variants from independent isolations, 415
*Aplysia* and sperm whale metmyoglobins, their reactivity towards imidazole; X-ray and binding study, 305
ASCENZI, P. (see also BOLOGNESI, M.), 305
ASSULIN, O. (see also BOREJDO, J.), 391
*Azotobacter* ferredoxin, iron-sulfur clusters and protein structure at 2.0 Å resolution, 73

*Bacillus coagulans*, preliminary crystallographic data for glyceraldehyde-3-phosphate dehydrogenase, 153
— *subtilis* contains a protein similar to *Escherichia coli gro* EL, 731
Bacteriophage λ *int* gene, regulation of expression, 327
— MS2 RNA-directed protein synthesis in extracts of *Escherichia coli*, effect of rate-limiting elongation, 619
BHAT, T. N., BLOW, D. M., BRICK, P. & NYBORG, J., Tyrosyl-tRNA synthetase forms a mononucleotide-binding fold, 699
BLOW, D. M. (see also BHAT, T. N.), 699
BODE, W. (see also PAPAMOKOS, E.), 515
BOLOGNESI, M., CANNILLO, E., ASCENZI, P., GIACOMETTI, G. M., MERLI, A. & BRUNORI, M., Reactivity of ferric *Aplysia* and sperm whale myoglobins towards imidazole. X-ray and binding study, 305
BORDAS, J. (see also HUXLEY, H. E.), 637
BOREJDO, J., ASSULIN, O., ANDO, T. & PUTNAM, S., Cross-bridge orientation in skeletal muscle measured by linear dichroism of an extrinsic chromophore, 391
Bovine 1·715 satellite DNA nucleotide sequence and its relation to other bovine satellite sequences, 293
BRICK, P. (see also BHAT, T. N.), 699
BRUNORI, M. (see also BOLOGNESI, M.), 305
BÜLDT, G. & DE HASS, G. H., Conformational differences between *sn*-3-phospholipids and *sn*-2-phospholipids. A neutron and X-ray diffraction investigation, 55
BUZIN, C. H. & PETERSEN, N. S., A comparison of the multiple *Drosophila* heat shock proteins in cell lines and larval salivary glands by two-dimensional gel electrophoresis, 181

*Caenorhabditis elegans*, genetic fine structure analysis of the myosin heavy chain gene *unc-54*, 1
CANNILLO, E. (see also BOLOGNESI, M.), 305
CAPALDI, R. A. (see also DEATHERAGE, J. F.), 487, 501
CARLSEN, W. (see also REIDLER, J.), 739
Carp hemoglobin, a new method for studying the reaction of $Hb_4(CO)_3$ with CO, 551
CARRASCOSA, J. L., GARCÍA, J. A. & SALAS, M., A protein similar to *Escherichia coli gro* EL is present in *Bacillus subtilis*, 731
Centromeric DNA from *Sacharomyces cerevisiae*, 157
Chromatin transcription, oligonucleosomes as a model system; transcription with *Escherichia coli* DNA-dependent RNA polymerase, 365
Chromophore, extrinsic, cross-bridge orientation in skeletal muscle measured by linear dichroism, 391
Chromophores viewed through limited apertures, derivation of the absorbance by circularly symmetrical assembly, 411
Ciliary doublet microtubule, shape in solution, 317
Circular dichroism and n.m.r. studies of the molecular conformation of α-cobratoxin, 275
Citrate synthase, crystallographic refinement and atomic models of two different forms at 2·7 and 1·7 Å resolution, 111
CLEMENTS, J. E., D'ANTONIO, N. & NARAYAN, O., Genomic changes associated with antigenic variation of visna virus. II. Common nucleotide sequence changes detected in variants from independent isolations, 415

CLEMENTS, M. (see also SYVANEN, M.), 203
CO reaction with $HB_4(CO)_3$ in human, carp, rabbit and opossum hemoglobin, a new method for its study, 551
α-Cobratoxin molecular conformation as studied by n.m.r. and circular dichroism, 275
Codon usage and transfer RNA abundance of yeast. Differences in synonymous codon choice patterns of yeast and *Escherichia coli*, 573
COEN, E., STRACHAN, T. & DOVER, G., Dynamics of concerted evolution of ribosomal DNA and histone gene families in the *melanogaster* species subgroup of *Drosophila*, 17
— (see also STRACHAN, T.), 37
Concerted evolution dynamics of ribosomal DNA and histone gene families in the *melanogaster* species subgroup of *Drosophila*, 17
Conformation, molecular, of α-cobratoxin as studied by n.m.r. and circular dichroism, 275
Conformational differences between *sn*-3-phospholipids and *sn*-2-phospholipids; a neutron and X-ray diffraction investigation, 55
Cross-bridge orientation in skeletal muscle measured by linear dichroism of an extrinsic chromophore, 391
Crystallographic data, preliminary, for glyceraldehyde-3-phosphate dehydrogenase from the thermophile *Bacillus coagulans*, 153
— refinement and atomic models of two different forms of citrate synthase at 2·7 and 1·7 Å resolution, 111
— — of Japanese quail ovomucoid, a Kazal-type inhibitor, and model building studies of complexes with serine proteases, 515
Crystals, three-dimensional, of a membrane protein complex. The photosynthetic reaction centre from *Rhodopseudomonas viridis*, 567
Cytochrome *c* oxidase, the relationship between membrane and cytoplasmic domains by electron microscopy in media of different density, 501
— — — vesicle crystals, three-dimensional structure in negative stain, 487
Cytoplasmic and membrane domains in cytochrome *c* oxidase, the relationship between them by electron microscopy in media of different density, 501

D'ANTONIO, N. (see also CLEMENTS, J. E.), 415
DAVIS, R. W. (see also STINCHCOMB, D. T.), 157
DE HASS, G. H. (see also BULDT, G.), 55
DEATHERAGE, J. F., HENDERSON, R. & CAPALDI, R. A., Three-dimensional structure of cytochrome *c* oxidase vesicle crystals in negative stain, 487
—, — & —, Relationship between membrane and cytoplasmic domains in cytochrome *c* oxidase by electron microscopy in media of different density, 501
DNA, centromeric, from *Saccharomyces cerevisiae*, 157
— families, complex, of *Drosophila*, modes and rates of change, 37
—, glucosylated, contained in reconstituted nucleosome core particles, 685
—, naked, assessment of content in oligonucleosome preparations, 385
— polymerase I, a new class of mutants that affects gene transposition, 203
—, ribosomal, and histone gene families in the *melanogaster* species subgroup of *Drosophila*, dynamics of concerted evolution, 17
—, satellite, 1·715, bovine, its nucleotide sequence and the relation to other bovine satellite sequences, 293
— sequencing strategy, systematic, 539
—: transcription with *Escherichia coli* DNA-dependent RNA polymerase; oligonucleosomes as a model system for chromatin transcription, 365
Doublet microtubule, ciliary, shape in solution, 317
DOVER, G. (see also COEN, E.), 17
— (see also STRACHAN, T.), 37
DRAKE, A. F. (see also HIDER, R. C.), 275
*Drosophila*, dynamics of concerted evolution of ribosomal DNA and histone gene families in the *melanogaster* species subgroup, 17
— heat shock proteins in cell lines and larval salivary glands, a comparison by two-dimensional gel electrophoresis, 181
—, modes and rates of change complex DNA families, 37

EATON, W. A. (see also SUNSHINE, H. R.), 251
Electron microscopy in media of different density, use in relationship between membrane and cytoplasmic domains in cytochrome *c* oxidase, 501

Elongation, rate-limiting, effect on bacteriophage MS2 RNA-directed proteins synthesis in extracts of *Escherichia coli*, 619
EMPIE, M. W. (see also PAPAMOKOS, E.), 515
ENDO, T. (see also HIDER, R. C.), 275
*Escherichia coli* DNA-dependent RNA polymerase transcription; oilgonucleosomes as a model system for chromatin transcription, 365
— — extracts, effect of rate-limiting elongation on bacteriophage MS2 RNA-directed protein synthesis, 619
— — K12, phosphate-controlled gene expression using Mu*dI*-directed *lacZ* fusions, 347
— —, a protein similar to *gro* EL is present in *Bacillus subtilis*, 731
— — and yeast, differences in their synonymous codon choice patterns; correlation between the abundance of yeast tRNAs and the occurrence of the respective codons on protein genes, 573
ETCHEVERRY, T., SALVATO, M. & GUTHRIE, C., Recessive lethality of yeast strains carrying the *SUP61* suppressor results from loss of a transfer RNA with a unique decoding function, 599
Evolution of complex DNA families of *Drosophila*, 37
—, concerted, of ribosomal DNA and histone gene families in the *melanogaster* species subgroup of *Drosophila*, 17

FARUQI, A. R. (see also HUXLEY, H. E.), 637
FELSENFELD, G. (see also MCGEE, J. D.), 685
Ferredoxin from *Azotobacter*, iron-sulfur clusters and protein structure at 2·0 Å resolution, 73
Ferric *Aplysia* and sperm whale myoglobins, their reactivity towards imidazole; X-ray and binding study, 305
FERRONE, F. A. (see also SUNSHINE, H. R.), 251
FUREY, W., JR (see also GHOSH, D.), 73

GARCÍA, J. A. (see also CARRASCOSA, J. L.), 731
GAYKEMA, W. P. J. (see also VAN SCHAICK, E. J. M.), 457
Gel electrophoresis, two-dimensional, used in a comparison of the multiple *Drosophila* heat shock proteins in cell lines and larval salivary glands, 181
Gene, *int*, of bacteriophage λ, regulation of expression, 327
— expression, phosphate-controlled, in *Escherichia coli* K12 using Mu*dI*-directed *lacZ* fusions, 347
— transposition is affected by a new class of mutants in DNA polymerase I, 203
Genes, protein, correction between the abundance of yeast transfer RNAs and the occurrence of the respective codons; differences in synonymous codon choice patterns of yeast and *Escherichia coli*, 573
Genetic fine structure analysis of the myosin heavy chain gene *unc-54* of *Caenorhabditis elegans*, 1
Genomic changes associated with antigenic variation of visna virus. Common nucleotide sequence changes detected in variants from independent isolations, 415
GHOSH, D., O'DONNELL, S., FUREY, W., JR, ROBBINS, A. H. & STOUT, C. D., Iron-sulfur clusters and protein structure of *Azotobacter* ferredoxin at 2·0 Å resolution, 73
GIACOMETTI, G. M. (see also BOLOGNESI, M.), 305
Glucosylated DNA contained in reconstituted nucleosome core particles, 685
Glyceraldehyde-3-phosphate dehydrogenase from the thermophile *Bacillus coagulans*, preliminary crystallographic data, 153
GOLDMAN, E., Effect of rate-limiting elongation on bacteriophage MS2 RNA-directed protein synthesis in extracts of *Escherichia coli*, 619
GOTTESMAN, M. (see also OPPENHEIM, A. B.), 327
—, S. (see also OPPENHEIM, A. B.), 327
GRIFFITH, J. P. (see also LEE, B.), 153
*gro* EL from *Escherichia coli*, a similar protein is present in *Bacillus subtilis*, 731
GROOME, M. (see also PFLUGFELDER, G. O.), 385
GUTHRIE, C. (see also ETCHEVERRY, T.), 599

$HB_4(CO)_3$ reaction with CO in human, carp, rabbit and opossum hemoglobin, a new method for its study, 551
Heat shock proteins from *Drosophila*, in cell lines and larval salivary glands, a comparison by two-dimensional gel electrophoresis, 181
Hemocyanin from *Panulirus interruptus*, structure at 5 Å resolution, 457
Hemoglobin intermediates: a new method for studying the reaction of $HB_4(CO)_3$ with CO in human, carp, rabbit and opossum hemoglobin, 551
HENDERSON, R. (see also DEATHERAGE, J. F.), 487, 501

HERZENBERG, L. A. (see also REIDLER, J.) 739
HIDER, R. C., DRAKE, A. F., INAGAKI, F., WILLIAMS, R. J. P., ENDO, T. & MIYAZAWA, T., Molecular conformation of α-cobratoxin as studied by nuclear magnetic resonance and circular dichroism, 275
HIRASHIMA, A. (see also INOKUCHI, Y.), 711
Histone gene and ribosomal DNA families in the *melanogaster* species subgroup of *Drosophila*, dynamics of concerted evolution, 17
HOFRICHTER, J. (see also SUNSHINE, H. R.), 251
HOL, W. G. J. (see also VAN SCHAICK, E. J. M.), 457
HONG, G. F., A systematic DNA sequencing strategy, 539
HOPKINS, J. D. (see also SYVANEN, M.), 203
HUBER, R. (see also PAPAMOKOS, E.), 515
— (see also) REMINGTON, S.), 111
Human hemoglobin, a new method for studying the reaction of $HB_4(CO)_3$ with CO, 551
HUXLEY, H. E., FARUQI, A. R., KRESS, M., BORDAS, J. & KOCH, M. H. J., Time-resolved X-ray diffraction studies of the myosin layer-line reflections during muscle contraction, 637

IKEMURA, T., Correlation between the abundance of yeast transfer RNAs and the occurrence of the respective codons in protein genes. Differences in synonymous codon choice patterns of yeast and *Escherichia coli* with reference to the abundance of isoaccepting transfer RNAs, 573
Imidazole reactivity with ferric *Aplysia* and sperm whale myoglobins; X-ray and binding study, 305
Immunoglobulins, anti-dansyl, monoclonal; rotational dynamics, 739
INAGAKI, F. (see also HIDER, R. C.), 275
INOKUCHI, Y., HIRASHIMA, A. & WATANABE, I., Comparison of the nucleotide sequences at the 3′-terminal region of RNAs from RNA coliphages, 711
*int* gene of bacteriophage λ, regulation of expression, 327
Iron-sulfur clusters and protein structure of *Azotobacter* ferredoxin at 2·0 Å resolution, 73
ISENBERG, G., LEONARD, K. & JOCKUSCH, B. M., Structural aspects of vinculin–actin interactions, 231

Japanese quail ovomucoid, a Kazal-type inhibitor, crystallographic refinement; and model building studies of complexes with serine proteases, 515
JAWORSKI, J. (see also PLUCIENNICZAK, A.), 293
JOCKUSCH, B. M. (see also ISENBERG, G.), 231

KÄÄRIÄNEN, L. (see also PESONEN, M.), 213
KATO, I. (see also PAPAMOKOS, E.), 515
Kazal-type inhibitor Japanese quail ovomucoid, crystallographic refinement, and model building studies of complexes with serine proteases, 515
KOCH, M. H. J. (see also HUXLEY, H. E.), 637
KRESS, M. (see also HUXLEY, H. E.), 637

*lacZ* fusions, Mu*dI*-directed, used for phosphate-controlled gene expression in *Escherichia coli* K12, 347
λ (see also Bacteriophage), 327
LASKOWSKI, M., JR (see also PAPAMOKOS, E.), 515
LEE, B., GRIFFITH, J. P., PARK, C. H., SHELDON, R. I., MCLINDEN, J., MURDOCK, A. L. & AMELUNXEN, R. E., Preliminary crystallographic data for glyceraldehyde-3-phosphate dehydrogenase from the thermophile *Bacillus coagulans*, 153
LEONARD, K. (see also ISENBERG, G.), 231
Linear dichroism of an extrinsic chromophore, use in establishing cross-bridge orientation in skeletal muscle, 391
LO, A. C. & NAZAR, R. N., Accessibility of the 5 S RNA in yeast ribosomes, 559

MCGHEE, J. D. & FELSENFELD, G., Reconstitution of nucleosome core particles containing glucosylated DNA, 685
MCLINDEN, J. (see also LEE, B.), 153
MCSHARRY, R. (see also WANNER, B. L.), 347
MANN, C. (see also STINCHCOMB, D. T.), 157
Membrane and cytoplasmic domains in cytochrome *c* oxidase, the relationship between them by electron microscopy in media of different density, 501
— protein complex, three-dimensional crystals; the photosynthetic reaction centre from *Rhodopseudomonas viridis*, 567
— cytoskeleton network in squid photoreceptor microvilli, 435

MERLI, A. (see also BOLOGNESI, M.), 305
MICHEL, H., Three-dimensional crystals of a membrane protein complex. The photosynthetic reaction centre from *Rhodopseudomonas viridis*, 567
Microvilli in squid photoreceptors show an ordered membrane-cytoskeleton network, 435
MIKI-NOUMURA, T. (see also TAKASAKI, Y.), 317
MIYAZAWA, T. (see also HIDER, R. C.), 275
MOERMAN, D. G. (see also WATERSTON, R. H.), 1
Monensin and glycosylation of Semliki Forest virus proteins, 213
Monoclonal anti-dansyl immunoglobulins, rotational dynamics, 739
MS2 (see also Bacteriophage), 619
Mu*dl*-directed *lacZ* fusions used for phosphate-controlled gene expression in *Escherichia coli* K12, 347
Multiple *Drosophila* heat shock proteins in cell lines and larval salivary glands, a comparison by two-dimensional gel electrophoresis, 181
MURDOCK, A. L. (see also LEE, B.), 153
Muscle, skeletal, cross-bridge orientation measured by linear dichroism of an extrinsic chromophore, 391
—, time-resolved X-ray diffraction studies of the myosin layer-line reflections during contraction, 637
Mutants in DNA polymerase I, a new class that affects gene transposition, 203
Myoglobins, ferric *Aplysia* and sperm whale, their reactivity towards imidazole; X-ray and binding study, 305
Myosin heavy chain gene *unc-54* of *Caenorhabditis elegans*, genetic fine structure analysis, 1
— layer-line reflections during muscle contraction, time-resolved X-ray diffraction studies, 637

NARAYAN, O. (see also CLEMENTS, J. E.), 415
NAZAR, R. N. (see also LO, A. C.), 559
Neutron and X-ray diffraction investigation of conformation differences between *sn*-3-phospholipids and *sn*-2-phospholipids, 55
Nuclear magnetic resonance and circular dichroism studies of the molecular conformation of α-cobratoxin, 275
Nucleosome core particle reconstitution, 685
Nucleotide sequence of bovine 1·715 satellite DNA and its relation to other bovine satellite sequences, 293
— — changes detected in antigenic variants of visna virus, 415
— sequences at the 3′-terminal region of RNAs from RNA coliphages; a comparison, 711
NYBORG, J. (see also BHAT, T. N.), 699

O'DONNELL, S. (see also GHOSH, D.), 73
OI, V. T. (See also REIDLER, J.), 739
Oligonucleosome preparations, assessment of the naked DNA content, 385
— as a model system for chromatin transcription; transcription with *Escherichia coli* DNA- dependent RNA polymerase, 365
Oligosaccharides, complex, incomplete, in Semliki Forest virus envelope proteins arrested within the cell in the presence of monensin, 213
Opossum hemoglobin, a new method for studying the reaction of $Hb_4(CO)_3$ with CO, 551
OPPENHEIM, A. B., GOTTESMAN, S. & GOTTESMAN, M., Regulation of bacteriophage λ *int* gene expression, 327
Oxygen binding by sickle cell hemoglobin polymers, 251

*Panulirus interuptus* hemocyanin, structure at 5 Å resolution 457
PAPAMOKOS, E., WEBER, E., BODE, W., HUBER, R., EMPIE, M. W., KATO, I. & LASKOWSKI, M., JR, Crystallographic refinement of Japanese quail ovomucoid, a Kazal-type inhibitor, and model building studies of complexes with serine proteases, 515
PARK, C. H. (see also LEE, B.), 153
PECHT, I. (see also REIDLER, J.), 739
PESONEN, M. & KÄÄRIÄNEN, L., Incomplete complex oligosaccharides in Semliki Forest virus envelope proteins arrested within the cell in the presence of monensin, 213
PETERSEN, N. S. (see also BUZIN, C. H.), 181
PFLUGFELDER, G. O. & SONNEBICHLER, J., Oligonucleosomes as a model system for chromatin transcription. Transcription with *Escherichia coli* DNA-dependent RNA polymerase, 365
—, GROOME, M., WOLF, G. & SONNENBICHLER, J., Assessment of the naked DNA content in oligonucleosome preparations (*Appendix* to PFLUGFELDER, G. O. & SONNENBICHLER, J., 365), 385
Phosphate-controlled gene expression in *Escherichia coli* K12 using Mu*dl*-directed *lacZ* fusions, 347

Photoreceptor microvilli of squid show an ordered membrane-cytoskeleton network, 435
Photosynthetic reaction centre from *Rhodopseudomonas viridis*; three-dimensional crystals of a membrane protein complex, 567
Płucienniczak, A., Skowroński, J. & Jaworski, J., Nucleotide sequence of bovine 1·715 satellite DNA and its relation to other bovine satellite sequences, 293
Protein complex, membrane, three-dimensional crystals; the photosynthetic reaction centre from *Rhodopseudomonas viridis*, 567
— genes, correlation between the abundance of yeast transfer RNAs and the occurrence of the respective codons; differences in synonymous codon choice patterns of yeast and *Escherichia coli*, 573
— and iron-sulfur cluster structure of *Azotobacter* ferredoxin at 2·0 Å resolution, 73
— similar to *Escherichia coli gro* EL is present in *Bacillus subtilis*, 731
— synthesis, MS2 RNA-directed, in extracts of *Escherichia coli*, effect of rate-limiting elongation, 619
Proteins, heat shock, *Drosophila*, in cell lines and larval salivary glands, a comparison by two-dimensional gel electrophoresis, 181
—: incomplete complex oligosaccharides in Semliki Forest virus envelope proteins arrested within the cell in the presence of monensin, 213
Putnam, S. (see also Borejdo, J.), 391

Rabbit hemoglobin, a new method for studying the reaction of $Hb_4(CO)_3$ with CO, 551
Ranney, H. M. (see also Sharma, V. S.), 551
Rate-limiting elongation, effect on bacteriophage MS2 RNA-directed protein synthesis in extracts of *Escherichia coli*, 619
Recessive lethality of yeast strains carrying the *SUP61* suppressor results from loss of a transfer RNA with a unique decoding function, 599
Reconstitution of nucleosome core particles containing glucosylated DNA, 685
Regulation of bacteriophage λ *int* gene expression, 327
Reidler, J., Oi, V. T., Carlsen, W., Vuong, T. M., Pecht, I., Herzenberg, L. A. & Stryer, L., Rotational dynamics of monoclonal anti-dansyl immunoglobulins, 739
Remington, S., Wiegand, G. & Huber, R., Crystallographic refinement and atomic models of two different forms of citrate synthase at 2·7 and 1·7 Å resolution, 111
*Rhodopseudomonas viridis* photosynthetic reaction centre; three-dimensional crystals of a membrane protein complex, 567
RNA coliphages, comparison of the nucleotide sequence at the 3′-terminal region of RNAs, 711
—, 5 S, accessibility in yeast ribosomes, 559
Ribosomal DNA and histone gene families in the *melanogaster* species subgroup of *Drosophila*, dynamics of concerted evolution, 17
Ribosomes, yeast, accessibility of the 5 S RNA, 559
Robbins, A. H. (see also Ghosh, D.), 73
Rotational dynamics of monoclonal anti-dansyl immunoglobulins, 739

*Saccharomyces cerevisiae*, centromeric DNA, 157
Saibil, H. R., An ordered membrane-cytoskeleton network in squid photoreceptor microvilli, 435
Salas, M. (see also Carrascosa, J. L.), 731
Salivary glands, larval, and cell lines of *Drosophila*, a comparison of the multiple heat shock proteins by two-dimensional gel electrophoresis, 181
Salvato, M. (see also Etcheverry, T.), 599
Satellite DNA, 1·715, bovine, its nucleotide sequence and the relation to other bovine satellite sequences, 293
Schepman, A. M. H. (see also van Schaick, E. J. M.), 457
Schutter, W. G. (see also van Schiack, E. J. M.), 457
Semliki Forest virus (see also Virus), 213
Sequences, nucleotide, of bovine 1·715 satellite DNA and its relation to other bovine satellite sequences, 293
—, —, changes detected in antigenic variants of visna virus, 415
—, —, at the 3′-terminal region of RNAs from RNA coliphages; a comparison, 711
Sequencing of DNA, a systematic strategy, 539
Serine protease complexes with Japanese quail ovomucoid, model building studies, 515
Sharma, V. S. & Ranney, H. M., Studies on hemoglobin intermediates. A new method for studying the reaction of $Hb_4(CO)_3$ with Co in human, carp, rabbit and opossum hemoglobin, 551
Sheldon, R. I. (see also Lee, B.), 153

Sickle cell hemoglobin polymers and oxygen binding, 251
Skowroński, J. (see also Pluciennicak, A.), 293
Simth, K. C. (see also Waterston, R. H.), 1
*sn-3*-phospholipids and *sn*-2-phospholipids, conformational differences; a neutron and X-ray diffraction investigation, 55
Sonnebichler, J. (see also Pflugfelder, G. O.), 365, 385
Sperm whale and ferric *Aplysia* myoglobins, their reactivity towards imidazole; X-ray and binding study, 305
Squid photoreceptor microvilli show an ordered membrane-cytoskeleton network, 435
Stinchcomb, D. T., Mann, C. & Davis, R. W., Centromeric DNA from *Saccharomyces cerevisiae*, 157
Stout, C. D. (see also Ghosh, D.), 73
Strachan, T., Coen, E., Webb, D. & Dover, G., Modes and rates of change of complex DNA families of *Drosophila*, 37
— (see also Coen, E.), 17
Structural aspects of vinculin–actin interactions, 231
Structure of citrate synthase, 111
— — *Panulirus interruptus* hemocyanin at 5 Å resolution, 457
—, three-dimensional, of cytochrome *c* oxidase vesicle crystals in negative stain, 487
— of tyrosyl-tRNA synthetase, 699
Stryer, L. (see also Reidler, J.), 739
Sunshine, H. R., Hofrichter, J., Ferrone, F. A. & Raton, W. A., Oxygen binding by sickle cell hemoglobin polymers, 251
*SUP61* suppressor recessive lethality in yeast strains results from loss of a transfer RNA with a unique decoding function, 599
Syvanen, M., Hopkins, J. D. & Clements, M., A new class of mutants in DNA polymerase I that affects gene transposition, 203

Takasaki, Y. & Miki-Noumura, T., Shape of the ciliary doublet microtubule in solution, 317
Thermophile, *Bacillus coagulans*, preliminary crystallographic data for glyceraldehyde-3-phosphate dehydrogenase, 153
3′-terminal region of RNAs from RNA coliphages, comparison of the nucleotide sequences, 711
Transcription, chromatin, oligonucleosomes as a model system; transcription with *Escherichia coli* DNA-dependent RNA polymerase, 365
Transfer RNA: recessive lethality of yeast strains carrying the *SUP61* suppressor results from loss of a transfer RNA with a unique decoding function, 599
— RNAs, yeast, correlation between their abundance and the occurrence of the respective codons in protein genes; differences in synonymous codon choice patterns of yeast and *Escherichia coli*, 573
Transposition of genes is affected by a new class of mutants in DNA polymerase I, 203
Tyrosyl-tRNA synthetase forms a mononucleotide-binding fold, 699

*unc-54*, myosin heavy chain gene of *Caenorhabditis elegans;* genetic fine structure analysis, 1

van Schaick, E. J. M., Schutter, W. G., Gaykema, W. P. J., Schepman, A. M. H. & Hol, W. G. J., Structure of *Panulirus interruptus* hemocyanin at 5 Å resolution, 457
Vinculin–actin interactions, structural aspects, 231
Virus, Semliki Forest: incomplete complex oligosaccharides in virus envelope proteins arrested within the cell in the presence of monensin, 213
—, visna, genomic changes associated with its antigenic variation; common nucleotide sequence changes detected in variants from independent isolations, 415
Visna virus (see also Virus), 415
Vuong, T. M. (see also Reidler, J.), 739

Wanner, B. L. & McSharry, R., Phosphate-controlled gene expression in *Escherichia coli* K12 using Mu*dI*-directed *lacZ* fusions, 347
Watanabe, I. (see also Inokuchi, Y.), 711
Waterston, R. H., Smith, K. C. & Moerman, D. G., Genetic fine structure analysis of the myosin heavy chain gene *unc-54* of *Caenorhabditis elegans*, 1
Webb, D. (see also Strachan, T.), 37
Weber, E. (see also Papamokos, E.), 515
Wiegand, G. (see also Remington, S.), 111
Williams, R. J. P. (see also Hider, R. C.), 275
Wolf, G. (see also Pflugfelder, G. O.), 385

X-ray and binding study of the reactivity of ferric *Aplysia* and sperm whale myoglobins towards imidazole, 305
— diffraction, time-resolved, studies of the myosin layer-line reflections during muscle contraction, 637
— and neutron diffraction investigation of the conformational differences between *sn-3*-phosphilipids and *sn*-2-phospholipids, 55

Yeast ribosomes, accessibility of the 5 S RNA, 559
— strains carrying the *SUP61* suppressor, recessive lethality results from a loss of a transfer RNA with a unique decoding function, 599
— transfer RNAs, correlation between their abundance and the occurrence of the respective codons in protein genes; differences in synonymous codon choice patterns of yeast and *Escherichia coli*, 573